



B Bushnell

PRIME™	8
NITRO™	16
FORGE™	24
ACCESSORIES	29
SPECIFICATIONS	31
RETICLES	37



ABOUT BUSHNELL

Bushnell has been the industry leader in high-performance sports optics for more than 65 years. Our guiding principle is to provide the highest quality, most reliable and affordable sports optics products on the market. Whether you set your sights on a big buck, a 2 inch target or a beautiful landscape, Bushnell strives to make sure you never miss a moment.

PRODUCT FAMILY COMPARISON

PRIME

JE OTANDADD

HIGH LIGHT TRANSMISSION

WATERPROOF CONSTRUCTION

EXO™ BARRIER TO MAINTAIN CLARITY

NITRO

LIE ADVANCED

HIGHER LIGHT TRANSMISSION

WATERPROOF CONSTRUCTION

EXO™ BARRIER TO MAINTAIN CLARITY

ADVANCED CONTROLS AND FEATURES

UPGRADED OPTICAL COATINGS

FORGE

THE EXPERT

HIGHEST LIGHT TRANSMISSION

WATERPROOF CONSTRUCTION

EXO™ BARRIER TO MAINTAIN CLARITY

EXPERT CONTROLS AND FEATURES

UPGRADED OPTICAL COMPONENTS

UPGRADED OPTICAL COATINGS


HIGHEST MAGNIFICATIONS

LIFETIME



6-18x 50mm

RP6185BS3



PREMIUM FEATURES

OPTIMAL LIGHT TRANSMISSION -

Delivering 91% light transmission, PRIME™ riflescopes rely on Ultra Wide Band Coating to enable bright and true colors in every lighting condition.

CLARITY & RESOLUTION -

PRIME riflescopes deliver best-in-class resolution and contrast through the use of low dispersion glass, Fully Multi-Coated lenses, and other unique processes known only to Bushnell.

PROTECTED FROM THE ELEMENTS -

Enhanced to fend off anything Mother Nature can throw at it, the PRIME riflescopes feature our patented EXO Barrier™ lens coating. Molecularly bonded to the glass, EXO Barrier repels water, fog, oil, dust and debris.





















CLARITY & RESOLUTION -

PRIME[™] binoculars deliver best-in-class resolution and contrast through the use of low dispersion glass, Fully Multi-Coated lenses, and other unique processes known only to Bushnell.

PROTECTED FROM THE ELEMENTS -

Enhanced to fend off anything Mother Nature can throw at it, the PRIME binoculars feature our patented EXO Barrier lens coating. Molecularly bonded to the glass, EXO Barrier repels water, fog, oil, dust and debris.





10x 42mm BP1042B



















1,700 yards



RANGE:



PREMIUM FEATURES UP TO 2X BRIGHTER IN LOW LIGHT -

The PRIME rangefinder features an all-glass optical system and an improved LCD display. This combination provides up to 2X brighter viewing along with improved light transmission to give you more hunt time at dusk and dawn.

PROTECTED FROM THE ELEMENTS -

Enhanced to fend off anything Mother Nature can throw at it, the PRIME rangefinders feature our patented EXO Barrier[™] lens coating. Molecularly bonded to the glass, EXO Barrier repels water, fog, oil, dust and debris.


ANGLE RANGE COMPENSATION (ARC) -

Extreme up and downhill angles alter true horizontal distance to your target. ARC accounts for the terrain angle when calculating distance, so you know precisely how to shoot the range. No guesswork.


















CLARITY & RESOLUTION -

PRIME™ spotting scopes deliver best-in-class resolution and contrast through the use of low dispersion glass, Fully Multi-Coated lenses, and other unique processes known only to Bushnell.

PROTECTED FROM THE ELEMENTS -

Enhanced to fend off anything Mother Nature can throw at it, the PRIME spotting scopes feature our patented EXO Barrier™ lens coating. Molecularly bonded to the glass, EXO Barrier repels water, fog, oil, dust and debris.

WATERPROOF CONSTRUCTION -

Resists rain, fog and accidental submersion for clear viewing in any weather.





PRIME SPOTTING SCOPES 14

16-48x 50mm

SP164850B











2.5-10x 44mm

RN2104BF1



ADVANCED CLARITY & RESOLUTION -

NITRO™ riflescopes deliver advanced resolution and contrast through the use of low dispersion glass, Fully Multi-Coated lenses, and other unique processes known only to Bushnell.

BEST IN CLASS LIGHT TRANSMISSION -

Delivering 92% light transmission, NITRO riflescopes rely on Ultra Wide Band Coating to enable bright and true colors in every lighting condition.

SIDE PARALLAX -

Easily correct parallax error without removing eyes from the target.

VARIETY -

Multiple configurations include capped or target turrets, first-and second-focal plane models and multiple reticle options to meet every need.


PROTECTED FROM THE ELEMENTS -

Enhanced to fend off anything Mother Nature can throw at it, the NITRO riflescopes feature our patented EXO Barrier™ lens coating. Molecularly bonded to the glass, EXO Barrier repels water, fog, oil, dust and debris.















RETICLES







3-12x 44mm

RN3124GS1





ED PRIME GLASS -

Featuring our proprietary HDOS design (High Definition Optical Design), NITRO™ Binoculars come standard with ED Prime glass to deliver best-in-class color while also preventing chromatic aberration so no detail goes unnoticed.

ADVANCED CLARITY & RESOLUTION -

NITRO binoculars deliver the advanced resolution and contrast even in low-light situations through the use of Fully Multi-Coated lenses enhanced with Dielectic Prism, PC-3 and Ultra Wide Band coatings.

PROTECTED FROM THE ELEMENTS -

Enhanced to fend off anything Mother Nature can throw at it, the NITRO binoculars feature our patented EXO Barrier™ lens coating. Molecularly bonded to the glass, EXO Barrier repels water, fog, oil, dust and debris.






























*SPINDRIFT, CORREALIS, SIGHT HEIGHT







LN1800IGG

2,000 yards













ANGLE RANGE COMPENSATION BOW MODE

6x 24mm

RANGE:







PREMIUM FEATURES

BLUETOOTH & APPLIED BALLISTICS -

Connect to your smartphone to update display and settings as well as configure ballistics data to get holdovers and wind adjustment. Download the Bushnell Ballistic App on Google Play or at the App Store.

UP TO 2X BRIGHTER IN LOW LIGHT -

The NITRO™ rangefinder features an all-glass optical system and an improved LCD display. This combination provides up to 2X brighter viewing along with improved light transmission to give you more hunt time at dusk and dawn.

PROTECTED FROM THE ELEMENTS -

Enhanced to fend off anything Mother Nature can throw at it, the NITRO rangefinders feature our patented EXO Barrier" lens coating. Molecularly bonded to the glass, EXO Barrier repels water, fog, oil, dust and debris.

ANGLE RANGE COMPENSATION (ARC) -

Extreme up and downhill angles alter true horizontal distance to your target. ARC accounts for the terrain angle when calculating distance, so you know precisely how to shoot the range. No guesswork.





ED PRIME GLASS -

Featuring our proprietary HDOS design (High Definition Optical Design), NITRO™ spotting scopes come standard with ED Prime glass to deliver best-in-class color while also preventing chromatic aberration so no detail goes unnoticed.

ADVANCED CLARITY & RESOLUTION -

NITRO spotters deliver advanced resolution and contrast through the use of low dispersion glass, Fully Multi-Coated lenses, and other unique processes known only to Bushnell.

PROTECTED FROM THE ELEMENTS -

Enhanced to fend off anything Mother Nature can throw at it, the NITRO spotting scopes feature our patented EXO Barrier™ lens coating. Molecularly bonded to the glass, EXO Barrier repels water, fog, oil, dust and debris.















NITRO SPOTTING SCOPES 22

20-60x 65mm

SN206065GA

4.5-27x 50mm

RF4275TF1





LONG-RANGE PERFECTED -

FORGE™ riflescopes come standard with a exposed, locking zero stop turrets, multiple reticles options and a Throw-hammer™ Throw Lever for quick adjustments in the field.

HIGHEST MAGNIFICATION RANGES -

With magnification ranges from 2.5-15x50 to 4.5-27x50, FORGE riflescopes make even the most extreme distances look close. Coupled with an easy adjustment side parallax no target is out of sight.

UNPARALLELED CLARITY & RESOLUTION -

FORGE riflescopes deliver the best resolution and contrast possible through the use of low dispersion glass, Fully Multi-Coated lenses, and other unique processes known only to Bushnell.

HIGHEST LIGHT TRANSMISSION -

Delivering 94% light transmission, FORGE riflescopes rely on Ultra Wide Band Coating to enable bright and true color in every lighting condition.

PROTECTED FROM THE ELEMENTS -

Enhanced to fend off anything Mother Nature can throw at it, the FORGE riflescopes feature our patented EXO Barrier[™] lens coating. Molecularly bonded to the glass, EXO Barrier repels water, fog, oil, dust and debris.

RETICLES


























4.5-27x 50mm

RF4275BS1



COLORS AVAILABLE: Black and Terrain // FOCAL PLANES: First & Second // INCLUDED: Butler Creek Flip-Up caps & 2.5" sunshade







ED PRIME GLASS -

Featuring our proprietary HDOS design (High Definition Optical Design), FORGE[™] Binoculars come standard with ED Prime glass to deliver superior color while also preventing chromatic aberration so no detail goes unnoticed.

UNPARALLELED CLARITY & RESOLUTION -

FORGE binoculars deliver the best resolution and contrast possible even in low-light situations through the use of Fully Multi-Coated lenses enhanced with Dielectic Prism, PC-3 and Ultra Wide Band coatings.

HIGH QUALITY ACCESSORIES -

Tripod adaptor (BF1556T only), premium EVA foam case, premium harness, neckstrap and spudz lens cloth.

PROTECTED FROM THE ELEMENTS -

Engineered to fend off anything Mother Nature can throw at it, the FORGE binoculars feature our patented EXO Barrier lens coating. Molecularly bonded to the glass, EXO Barrier repels water, fog, oil, dust and debris.





















ED PRIME GLASS -

Featuring our proprietary HDOS design, FORGE™ spotting scopes come standard with ED Prime glass to deliver superior color while also preventing chromatic aberration so no detail goes unnoticed.

HIGHEST CLARITY & RESOLUTION -

FORGE spotting scopes deliver the best resolution and contrast possible even in low-light situations through the use of Fully Multi-Coated lenses enhanced with Dielectic Prism and Ultra Wide Band coatings.

LIGHTWEIGHT RUGGED CONSTRUCTION -

Built with a Magnesium chassis, the FORGE spotting scope is built to withstand long days in the field. Its lightweight design allows it to be easily transported across the backcountry and its rugged construction provides peace of mind.

HIGH QUALITY ACCESSORIES -

Included with each FORGE spotter are high quality accessories which include a premium EVA foam case, soft field cover and spudz lens cloth.

PROTECTED FROM THE ELEMENTS -

Enhanced to fend off anything Mother Nature can throw at it, the FORGE spotting scopes feature our patented EXO Barrier[™] lens coating. Molecularly bonded to the glass, EXO Barrier repels water, fog, oil, dust and debris.















FORGE SPOTTING SCOPES 28





LASER BORESIGHTER 740100C

Its bright, battery-powered laser makes rapid, ultra-precise work of boresighting. Created to meet the demands of serious shooters. It includes arbors for .22 through .50 caliber firearms. 3 LR44 batteries included.





MAGNETIC BORESIGHTER 740001C

Works on all calibers and firearms. Revolutionary design eliminates the need for arbors. Magnetically attaches to the muzzle to facilitate a guick sight-in. Etched glass reticle.

PROFESSIONAL BORESIGHTER WITH CASE 743333

A compact kit with three expandable arbors that cover all calibers from .22 to .45. Includes a fixed .17 caliber arbor.



Three-position leg angle adjustment, threeway pan head, two pan and tilt handles and a gearless reversible center column. Bushnell quality with moderate carrying weight, this is the ultimate stand-up tripod.

Max height: 63" Weight capacity = 4kg (8.8lbs)



ADVANCED TRIPOD

784030

This is a full-featured stand-up tripod for viewing from a platform, roadside or deck where portability is not essential.

Max height: 60" Weight Capacity: 4kg (8.8lbs)




LARGE CAR WINDOW MOUNT 784405

The traveling hunter and birder's secret. You'll see these mounts holding spotting scopes on car windows from Yellow Stone National Park to the Everglades.



TRIPOD ADAPTOR BAHQRADPT

Ensure rock solid all day viewing with machined, billet aluminum frame and shake proof hinge design, Quick release attachment allows for fast, durable and secure viewing in any environment.



BINOCULAR HARNESS WITH QUICK DETACH BASFHARN

It'll be easy to forget you're carrying binoculars with this lightweight, vented and comfortable harness. Multiple strap adjustments allow for optimal comfort, placement and hands free operation until you need the binoculars. Remove and securely attach binoculars quickly and effortlessly from harness with the quick detach clips.





PRIME RIFLESCOPES

SKU	MAG X OBJ LENS	RETICLE	FOCAL PLANE	ELEV/WIND TRAVEL MOA	EYE RELIEF (MAX POWER) (IN)	FIELD OF VIEW FT. @ 100 YARDS	WEIGHT (OZ)	LENGTH (IN)
RP1432BS3	1-4x32	Multi-X	SFP	50/50	3.9	105-26	13.4	10.4
RP3103BS3	3.5-10x36	Multi-X	SFP	60/60	3.3	31-11	16.6	12.8
RP3103BS4	3.5-10x36	DZ 22LR	SFP	60/60	3.3	31-11	16.6	12.8"
RP3940BS3	3-9x40	Multi-X	SFP	60/60	3.5	38-13	14.8	12.1
RP4124BS3	4-12x40	Multi-X	SFP	60/60	3.3	26-9	16.6	12.8
RP6185BS3	6-18x50	Multi-X	SFP	40/40	3.5	18-6	19.0	15.5

PRIME BINOCULARS

SKU	MAG X OBJ LENS	PRISM SYSTEM	FIELD OF VIEW FT. @ 1000 YARDS	CLOSE FOCUS (FT)	EYE RELIEF (MM)	WEIGHT (OZ)	LENGTH (IN)	ADAPT TO TRIPOD
BP1025B	10x 25	Roof	326	20	11	11.1	4.1	No
BP832B	8x 32	Roof	390	9	18	16.9	4.8	Yes
BPR1028	10x 28	Roof	298	10	15	14.2	4.7	Yes
BPR842	8x 42	Roof	350	10	24	23.3	5.2	Yes
BP1042B	10x 42	Roof	305	12	19	23.3	5.2	Yes
BPR1250	12x 50	Roof	273	10	16	33.5	6.5	Yes

PRIME RANGEFINDERS

				TARGETING M	ARC N	ODES	RANGING PERFORMANCE			
SKU	MAG X OBJ LENS	SIZE (IN)	WEIGHT (OZ)	BULLSEYE	BRUSH	BOW	RIFLE	RFLCTV. (YDS)	TREE (YDS)	DEER (YDS)
LP1300SBL	6x 24	4.2x1.4x2.7	5.1	Yes	Yes	Yes	Yes	1,300	800	400
LP1700SBL	6x 24	4.2x1.4x2.7	5.1	Yes	Yes	Yes	Yes	1,700	1,000	500



PRIME SPOTTING SCOPES

SKU	MAG X OBJ LENS	PRISM SYSTEM	PRISM GLASS	FIELD OF VIEW FT. @ 1000 YARDS	CLOSE FOCUS (FT)	EYE RELIEF (MM)	WEIGHT (OZ)	LENGTH (IN)	ADAPT TO TRIPOD
SP164850B	16-48x 50	Porro Straight	BaK-4	110/60	14	18	32.7	12.8	Yes
SP206065B	20-60x 65	Porro Straight	BaK-4	100/50	20	18	37.9	14.6	Yes
SP206065AB	20-60x 65	Porro Angled	BaK-4	100/50	20	18	37.9	14.4	Yes

NITRO RIFLESCOPES

SKU	MAG X OBJ LENS	RETICLE	FOCAL PLANE	ELEV/WIND TRAVEL MOA	EYE RELIEF (MAX POWER) (IN)	FIELD OF VIEW FT. @ 100 YARDS	WEIGHT (OZ)	LENGTH (IN)
RN2104BS1	2.5-10x44	DEPLOY MOA	SFP	50/50	3.6	37@2.5x/9.5@10x	23.9	13.6
RN2104BS3	2.5-10x44	Multi-X	SFP	50/50	3.6	37@2.5x/9.5@10x	23.9	13.6
RN2104GS1	2.5-10x44	DEPLOY MOA	SFP	50/50	3.6	37@2.5x/9.5@10x	23.9	13.6
RN2104GS3	2.5-10x44	Multi-X	SFP	50/50	3.6	37@2.5x/9.5@10x	23.9	13.6
RN2104BF1	2.5-10x44	DEP. MOA FFP	FFP	50/50	3.6	37@2.5x/9.5@10x	23.9	13.6
RN2104GF1	2.5-10x44	DEP. MOA FFP	FFP	50/50	3.6	37@2.5x/9.5@10x	23.9	13.6
RN2104BF2	2.5-10x44	DEP. MIL FFP	FFP	14.5 MIL/ 14.5 MIL	3.6	37@2.5x/9.5@10x	23.9	13.6
RN3124BS1	3-12x44	DEPLOY MOA	SFP	60/60	3.9	34.8@3x/8.6@12x	24.2	13.7
RN3124BS3	3-12x44	Multi-X	SFP	60/60	3.9	34.8@3x/8.6@12x	24.2	13.7
RN3124GS1	3-12x44	DEPLOY MOA	SFP	60/60	3.9	34.8@3x/8.6@12x	24.2	13.7
RN3124GS3	3-12x44	Multi-X	SFP	60/60	3.9	34.8@3x/8.6@12x	24.2	13.7
RN3124BF1	3-12x44	DEP. MOA FFP	FFP	60/60	3.9	34.8@3x/8.6@12x	24.2	13.7
RN3124GF1	3-12x44	DEP. MOA FFP	FFP	60/60	3.9	34.8@3x/8.6@12x	24.2	13.7
RN3124BF2	3-12x44	DEP. MIL FFP	FFP	17.5 MIL/ 17.5 MIL	3.9	34.8@3x/8.6@12x	24.2	13.7

NITRO RIFLESCOPES

SKU	MAG X OBJ LENS	RETICLE	FOCAL PLANE	ELEV/WIND TRAVEL MOA	EYE RELIEF (MAX POWER) (IN)	FIELD OF VIEW FT. @ 100 YARDS	WEIGHT (OZ)	LENGTH (IN)
RN4164BS1	4-16x44	DEPLOY MOA	SFP	50/50	3.6	23@4x/6@16x	23.4	13.9
RN4164BS3	4-16x44	Multi-X	SFP	50/50	3.6	23@4x/6@16x	23.4	13.9
RN4164GS1	4-16x44	DEPLOY MOA	SFP	50/50	3.6	23@4x/6@16x	23.4	13.9
RN4164GS3	4-16x44	Multi-X	SFP	50/50	3.6	23@4x/6@16x	23.4	13.9
RN4164BF1	4-16x44	DEP. MOA FFP	FFP	50/50	3.6	23@4x/6@16x	23.4	13.9
RN4164GF1	4-16x44	DEP. MOA FFP	FFP	50/50	3.6	23@4x/6@16x	23.4	13.9
RN4164BF2	4-16x44	DEP. MIL FFP	FFP	14.5 MIL/ 14.5MIL	3.6	23@4x/6@16x	23.4	13.9
RN5204BS1	5-20x44	DEPLOY MOA	SFP	60/60	3.7	20@5x/5@20x	24.5	13.7
RN5204BS3	5-20x44	Multi-X	SFP	60/60	3.7	20@5x/5@20x	24.5	13.7
RN5204GS1	5-20x44	DEPLOY MOA	SFP	60/60	3.7	20@5x/5@20x	24.5	13.7
RN5204GS3	5-20x44	Multi-X	SFP	60/60	3.7	20@5x/5@20x	24.5	13.7
RN5204BF1	5-20x44	DEP. MOA FFP	FFP	60/60	3.7	20@5x/5@20x	24.5	13.7
RN5204GF1	5-20x44	DEP. MOA FFP	FFP	60/60	3.7	20@5x/5@20x	24.5	13.7
RN5204BF2	5-20x44	DEP. MIL FFP	FFP	17.5 MIL/ 17.5 MIL	3.7	20@5x/5@20x	24.5	13.7
RN6245BS1	6-24x50	DEPLOY MOA	SFP	50/50	3.6	16@6x/4@24x	26.3	14.4
RN6245BS3	6-24x50	Multi-X	SFP	50/50	3.6	16@6x/4@24x	26.3	14.4
RN6245GS1	6-24x50	DEPLOY MOA	SFP	50/50	3.6	16@6x/4@24x	26.3	14.4
RN6245GS3	6-24x50	Multi-X	SFP	50/50	3.6	16@6x/4@24x	26.3	14.4
RN6245BF1	6-24x50	DEP. MOA FFP	FFP	50/50	3.6	16@6x/4@24x	26.3	14.4
RN6245GF1	6-24x50	DEP. MOA FFP	FFP	50/50	3.6	16@6x/4@24x	26.3	14.4
RN6245BF2	6-24x50	DEP. MIL FFP	FFP	14.5 MIL/ 14.5 MIL	3.6	16@6x/4@24x	26.3	14.4

SPECIFICATIONS 34

NITRO BINOCULARS

SKU	MAG X OBJ LENS	PRISM SYSTEM	FIELD OF VIEW FT. @ 1000 YARDS	CLOSE FOCUS (FT)	EYE RELIEF (MM)	WEIGHT (OZ)	LENGTH (IN)	ADAPT TO TRIPOD
BN1025G	10x 25	Roof	285	7	15	9.5	4.4	No
BN1036G	10x 36	Roof	341	7	17	21.9	4.8	Yes
BN1042G	10x 42	Roof	340	7	17	24.4	5.5	Yes

NITRO RANGEFINDER

						TA	RGETING MC	DES	ARC N	IODES	RANGIN	G PERFOR	MANCE
SKU	MAG X OBJ LENS	SIZE (IN)	WEIGHT (OZ)	BLUETOOTH	APPLIED BALLISTICS	SCAN	BULLSEYE	BRUSH	BOW	RIFLE	RFLCTV. (YDS)	TREE (YDS)	DEER (YDS)
LN1800IGG	6x 24	4.3 x 1.6 x 2.8	5.4	Yes	Base - 875	Yes	Yes	Yes	Yes	Yes	2,000	1,200	800

NITRO SPOTTING SCOPES

SKU	MAG X OBJ LENS	PRISM SYSTEM	PRISM GLASS	FIELD OF VIEW FT. @ 1000 YARDS	CLOSE FOCUS (FT)	EYE RELIEF (MM)	WEIGHT (OZ)	LENGTH (IN)	ADAPT TO TRIPOD
SN154565G	15-45x 65	Porro Straight	BaK-4	135/65	19	15	21.8	10.8	Yes
SN206065GA	20-60x 65	Porro Angled	BaK-4	100/50	33	15	55	18.9	Yes

FORGE RIFLESCOPES

SKU	MAG X OBJ LENS	RETICLE	FOCAL PLANE	ELEV/WIND TRAVEL MOA	EYE RELIEF (MAX POWER) (IN)	FIELD OF VIEW FT. @ 100 YARDS	WEIGHT (OZ)	LENGTH (IN)
RF2155BS1	2.5-15x50	DEPLOY MOA	SFP	70/70	3.9	40@2.5x/7@15x	28.9	14.1
RF2155BS5	2.5-15x50	DZ 600	SFP	70/70	3.9	40@2.5x/7@15x	28.9	14.1
RF2155TS1	2.5-15x50	DEPLOY MOA	SFP	70/70	3.9	40@2.5x/7@15x	28.9	14.1
RF2155TS5	2.5-15x50	DZ 600	SFP	70/70	3.9	40@2.5x/7@15x	28.9	14.1
RF2155BF1	2.5-15x50	DEP. MOA FFP	FFP	70/70	3.9	40@2.5x/7@15x	28.9	14.1
RF2155TF1	2.5-15x50	DEP. MOA FFP	FFP	70/70	3.9	40@2.5x/7@15x	28.9	14.1
RF2155BF2	2.5-15x50	DEP. MIL FFP	FFP	20.4MIL/20.4MIL	3.9	40@2.5x/7@15x	28.9	14.1
RF3185BS1	3-18x50	DEPLOY MOA	SFP	84/84	3.9	33.5@3x/5.7@18x	29.2	14.7
RF3185BS6	3-18x50	DZ 800	SFP	84/84	3.9	33.5@3x/5.7@18x	29.2	14.7
RF3185TS1	3-18x50	DEPLOY MOA	SFP	84/84	3.9	33.5@3x/5.7@18x	29.2	14.7
RF3185TS6	3-18x50	DZ 800	SFP	84/84	3.9	33.5@3x/5.7@18x	29.2	14.7
RF3185BF1	3-18x50	DEP. MOA FFP	FFP	84/84	3.9	33.5@3x/5.7@18x	29.2	14.7
RF3185TF1	3-18x50	DEP. MOA FFP	FFP	84/84	3.9	33.5@3x/5.7@18x	29.2	14.7
RF3185BF2	3-18x50	DEP. MIL FFP	FFP	24.4MIL/24.4MIL	3.9	33.5@3x/5.7@18x	29.2	14.7
RF4275BS1	4.5-27x50	DEPLOY MOA	SFP	50/50	4	22.2@4.5x/3.8@27x	29.3	14.2
RF4275BS6	4.5-27x50	DZ 800	SFP	50/50	4	22.2@4.5x/3.8@27x	29.3	14.2
RF4275TS1	4.5-27x50	DEPLOY MOA	SFP	50/50	4	22.2@4.5x/3.8@27x	29.3	14.2
RF4275TS6	4.5-27x50	DZ 800	SFP	50/50	4	22.2@4.5x/3.8@27x	29.3	14.2
RF4275BF1	4.5-27x50	DEP. MOA FFP	FFP	50/50	4	22.2@4.5x/3.8@27x	29.3	14.2
RF4275TF1	4.5-27x50	DEP. MOA FFP	FFP	50/50	4	22.2@4.5x/3.8@27x	29.3	14.2
RF4275BF2	4.5-27x50	DEP. MIL FFP	FFP	14.5MIL/14.5MIL	4	22.2@4.5x/3.8@27x	29.3	14.2




FORGE BINOCULARS

SKU	MAG X OBJ LENS	PRISM SYSTEM	FIELD OF VIEW FT. @ 1000 YARDS	CLOSE FOCUS (FT)	EYE RELIEF (MM)	WEIGHT (OZ)	LENGTH (IN)	ADAPT TO TRIPOD
BF1030T	10x 30	Roof	330	7	18	13.7	4.8	No
BF842T	8x 42	Roof	426	10	19	30.8	6.7	Yes
BF1042T	10x 42	Roof	340	10	18	30.4	6.7	Yes
BF1556T	15x 56	Abbe Koenig	235	12	21	51	8.7	Yes


FORGE SPOTTING SCOPES

SKU	MAG X OBJ LENS	PRISM SYSTEM	PRISM GLASS	FIELD OF VIEW FT. @ 1000 YARDS	CLOSE FOCUS (FT)	EYE RELIEF (MM)	WEIGHT (OZ)	LENGTH (IN)	ADAPT TO TRIPOD
SF206080T	20-60x 80	Poṛro Straight	BaK-4	95/51	41	17	60.7	14.2	Yes
SF206080TA	20-60x 80	Porro Angled	BaK-4	95/51	41	17	61.4	17	Yes


PRIME RETICLES



NITRO RETICLES



FORGE RETICLES











ACCURACY IN THE PALM OF YOUR HAND NEW BUSHNELL® BALLISTIC CALCULATOR



FREE DOWNLOAD AT:







FOLLOW US ON:









9200 CODY | OVERLAND PARK, KS 66214 | PHONE: (888) 276-5945

®, ™ denote trademarks of Bushnell Outdoor Products ©2019 Bushnell Outdoor Products

Lit. Number: BH2019